



Health	3
Fire	2
Reactivity	0
Personal Protection	

## Material Safety Data Sheet

### Formic acid, 96% Reagent A.C.S MSDS

#### Section 1: Chemical Product and Company Identification

**Product Name:** Formic acid, 96% Reagent A.C.S

**Catalog Codes:** SLF1672

**CAS#:** Mixture.

**RTECS:** Not applicable.

**TSCA:** TSCA 8(b) inventory: Formic acid; Water

**CI#:** Not applicable.

**Synonym:** Formic Acid, 96%

**Chemical Name:** Not applicable.

**Chemical Formula:** Not applicable.

**Contact Information:**

**Sciencelab.com, Inc.**

14025 Smith Rd.

Houston, Texas 77396

US Sales: **1-800-901-7247**

International Sales: **1-281-441-4400**

Order Online: [ScienceLab.com](http://ScienceLab.com)

**CHEMTREC (24HR Emergency Telephone), call:**

1-800-424-9300

**International CHEMTREC, call:** 1-703-527-3887

**For non-emergency assistance, call:** 1-281-441-4400

#### Section 2: Composition and Information on Ingredients

**Composition:**

Name	CAS #	% by Weight
Formic acid	64-18-6	96
Water	7732-18-5	4

**Toxicological Data on Ingredients:** Formic acid: ORAL (LD50): Acute: 700 mg/kg [Mouse]. 1100 mg/kg [Rat]. 4000 mg/kg [Dog]. VAPOR (LC50): Acute: 6200 mg/m 0.25 hours [Mouse].

#### Section 3: Hazards Identification

**Potential Acute Health Effects:**

Very hazardous in case of skin contact (corrosive), of eye contact (irritant, corrosive), of ingestion, . Slightly hazardous in case of inhalation (lung sensitizer). Non-corrosive for lungs. Liquid or spray mist may produce tissue damage particularly on mucous membranes of eyes, mouth and respiratory tract. Skin contact may produce burns. Inhalation of the spray mist may produce severe irritation of respiratory tract, characterized by coughing, choking, or shortness of breath. Inflammation of the eye is characterized by redness, watering, and itching.

**Potential Chronic Health Effects:**

Slightly hazardous in case of skin contact (irritant, sensitizer).

**CARCINOGENIC EFFECTS:** Not available.

**MUTAGENIC EFFECTS:** Mutagenic for mammalian somatic cells. [Formic acid]. Mutagenic for bacteria and/or

yeast. [Formic acid].

TERATOGENIC EFFECTS: Not available.

DEVELOPMENTAL TOXICITY: Not available.

The substance may be toxic to kidneys, liver, upper respiratory tract, skin, eyes, central nervous system (CNS). Repeated or prolonged exposure to the substance can produce target organs damage. Repeated or prolonged contact with spray mist may produce chronic eye irritation and severe skin irritation. Repeated or prolonged exposure to spray mist may produce respiratory tract irritation leading to frequent attacks of bronchial infection.

#### Section 4: First Aid Measures

##### Eye Contact:

Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention immediately.

##### Skin Contact:

In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Cover the irritated skin with an emollient. Cold water may be used. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

##### Serious Skin Contact:

Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek immediate medical attention.

##### Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.

##### Serious Inhalation:

Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, administer oxygen. If the victim is not breathing, perform mouth-to-mouth resuscitation. WARNING: It may be hazardous to the person providing aid to give mouth-to-mouth resuscitation when the inhaled material is toxic, infectious or corrosive. Seek medical attention.

##### Ingestion:

Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If large quantities of this material are swallowed, call a physician immediately. Loosen tight clothing such as a collar, tie, belt or waistband.

**Serious Ingestion:** Not available.

#### Section 5: Fire and Explosion Data

**Flammability of the Product:** Combustible.

**Auto-Ignition Temperature:** 539°C (1002.2°F)

**Flash Points:** OPEN CUP: 69°C (156.2°F).

**Flammable Limits:** LOWER: 18% UPPER: 57%

**Products of Combustion:** These products are carbon oxides (CO, CO<sub>2</sub>).

##### Fire Hazards in Presence of Various Substances:

Flammable in presence of open flames and sparks, of heat.

Slightly flammable to flammable in presence of metals.

Non-flammable in presence of shocks, of oxidizing materials, of reducing materials, of combustible materials, of organic materials, of acids, of alkalis, of moisture.

##### Explosion Hazards in Presence of Various Substances:

Explosive in presence of oxidizing materials.  
Slightly explosive in presence of organic materials, of metals.  
Non-explosive in presence of open flames and sparks, of shocks.

**Fire Fighting Media and Instructions:**

SMALL FIRE: Use DRY chemical powder.  
LARGE FIRE: Use water spray, fog or foam. Do not use water jet.

**Special Remarks on Fire Hazards:**

Decomposes more rapidly under fire conditions, forming carbon monoxide.  
Aluminum reduces formic acid (itself a reductant) with incandescence.

**Special Remarks on Explosion Hazards:**

Formic acid forms explosive reactions with the following: Furfuryl alcohol, Hydrogen Peroxide + organic matter; Nitromethane, P2O5, Thallic nitrate trihydrate +vanillin, and oxidizing agents  
Explosive decomposition of Formic Acid on clean nickel.

### Section 6: Accidental Release Measures

**Small Spill:**

Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container. If necessary: Neutralize the residue with a dilute solution of sodium carbonate.

**Large Spill:**

Combustible material. Corrosive liquid.  
Keep away from heat. Keep away from sources of ignition. Stop leak if without risk. Absorb with DRY earth, sand or other non-combustible material. Do not get water inside container. Do not touch spilled material. Use water spray curtain to divert vapor drift. Prevent entry into sewers, basements or confined areas; dike if needed. Call for assistance on disposal. Neutralize the residue with a dilute solution of sodium carbonate. Be careful that the product is not present at a concentration level above TLV. Check TLV on the MSDS and with local authorities.

### Section 7: Handling and Storage

**Precautions:**

Keep locked up.. Keep container dry. Keep away from heat. Keep away from sources of ignition. Ground all equipment containing material. Do not ingest. Do not breathe gas/fumes/ vapor/spray. Never add water to this product. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes. Keep away from incompatibles such as oxidizing agents, organic materials, acids, alkalis.

**Storage:**

Keep container in a cool, well-ventilated area. Keep container tightly closed and sealed until ready for use. Avoid all possible sources of ignition (spark or flame).

### Section 8: Exposure Controls/Personal Protection

**Engineering Controls:**

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value. Ensure that eyewash stations and safety showers are proximal to the work-station location.

**Personal Protection:**

Face shield. Full suit. Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Gloves. Boots.

**Personal Protection in Case of a Large Spill:**

Splash goggles. Full suit. Vapor respirator. Boots. Gloves. A self contained breathing apparatus should be

used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

**Exposure Limits:**

Formic acid

TWA: 5 STEL: 10 (ppm) from ACGIH (TLV) [United States] [1999]

TWA: 9 (mg/m<sup>3</sup>) from NIOSH

TWA: 5 (ppm) from NIOSH

TWA: 9 (mg/m<sup>3</sup>) from OSHA (PEL) [United States]

TWA: 5 (ppm) from OSHA (PEL) [United States]

TWA: 5 (ppm) [United Kingdom (UK)]

TWA: 9.3 (mg/m<sup>3</sup>) [United Kingdom (UK)]<sup>3</sup>

Consult local authorities for acceptable exposure limits.

## Section 9: Physical and Chemical Properties

**Physical state and appearance:** Liquid.

**Odor:** Pungent. Penetrating. Benzaldehyde-like

**Taste:** Sour

**Molecular Weight:** Not applicable.

**Color:** Clear Colorless.

**pH (1% soln/water):** Acidic.

**Boiling Point:** 100.7°C (213.3°F)

**Melting Point:** 8.4°C (47.1°F)

**Critical Temperature:** Not available.

**Specific Gravity:** 1.22 (Water = 1)

**Vapor Pressure:** 4.7 kPa (@ 20°C)

**Vapor Density:** 1.59 (Air = 1)

**Volatility:** Not available.

**Odor Threshold:** 0.625 ppm

**Water/Oil Dist. Coeff.:** The product is more soluble in water; log(oil/water) = -0.5

**Ionicity (in Water):** Not available.

**Dispersion Properties:** See solubility in water, diethyl ether, acetone.

**Solubility:**

Easily soluble in acetone.

Soluble in cold water, hot water, diethyl ether.

## Section 10: Stability and Reactivity Data

**Stability:** The product is stable.

**Instability Temperature:** Not available.

**Conditions of Instability:** Heat, ignition sources, incompatible materials

**Incompatibility with various substances:**

Highly reactive with oxidizing agents.  
Reactive with organic materials, metals, acids, alkalis.

**Corrosivity:**

Highly corrosive in presence of copper.  
Corrosive in presence of stainless steel(304).  
Non-corrosive in presence of glass, of aluminum, of stainless steel(316).

**Special Remarks on Reactivity:**

Formic acid is a strong reducing agent. Decomposes slowly during storage! Vent Container At Least Monthly.  
Formic acid may react with alkalis and oxidizing materials such as peroxides, nitric acid, and chromic acid. It is also incompatible with concentrated Sulfuric Acid, Nitromethane, finely powdered metals, permanganates, strong bases, oxidizing agents.

**Special Remarks on Corrosivity:** Corrosive to metals

**Polymerization:** Will not occur.

## Section 11: Toxicological Information

**Routes of Entry:** Absorbed through skin. Dermal contact. Eye contact. Inhalation. Ingestion.

**Toxicity to Animals:** Acute oral toxicity (LD50): 729 mg/kg (Mouse) (Calculated value for the mixture).

**Chronic Effects on Humans:**

MUTAGENIC EFFECTS: Mutagenic for mammalian somatic cells. [Formic acid]. Mutagenic for bacteria and/or yeast. [Formic acid].

May cause damage to the following organs: kidneys, liver, upper respiratory tract, skin, eyes, central nervous system (CNS).

**Other Toxic Effects on Humans:**

Extremely hazardous in case of inhalation (lung corrosive).  
Very hazardous in case of skin contact (corrosive), of eye contact (corrosive), of ingestion, .

**Special Remarks on Toxicity to Animals:** Not available.

**Special Remarks on Chronic Effects on Humans:** May affect genetic material (mutagenic)

**Special Remarks on other Toxic Effects on Humans:**

Acute Potential Health Effects:

Skin: Corrosive. Causes skin irritation and burns . Absorbed through the skin. May cause erythema and blistering.

Eyes: Corrosive. Causes eye irritation and burns. Lachrymator. May cause corneal edema, ulceration and scarring. Vapors may cause itching, burning and swelling of the eyes.

Inhalation: Affects respiration and causes respiratory tract irritation and burns. Vapors may affect behavior (brain) and sense organs and cause dizziness, and nausea. May also affect the urinary system and liver

Ingestion: May be harmful if swallowed. Causes digestive tract irritation and burns with abdominal pain, vomiting, and possible death. May product corrosive ulceration and bleeding, and necrosis of the gastrointestinal tract.

May also affect the cardiovascular system, urinary system, blood, behavior, and metabolism.

Chronic Potential Health Effects: Prolonged or repeated skin contact may cause dermatitis. Mah cause liver and kidney damage. Effects may be delayed. Laboratory experiments have resulted in mutagenic effects.

## Section 12: Ecological Information

**Ecotoxicity:** Ecotoxicity in water (LC50): 34 ppm 48 hours [Daphnia]. 5000 mg/l 24 hours [Bluegill].

**BOD5 and COD:** Not available.

**Products of Biodegradation:**

Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

**Toxicity of the Products of Biodegradation:** The products of degradation are less toxic than the product itself.

**Special Remarks on the Products of Biodegradation:** Not available.

### Section 13: Disposal Considerations

**Waste Disposal:**

Waste must be disposed of in accordance with federal, state and local environmental control regulations.

### Section 14: Transport Information

**DOT Classification:** Class 8: Corrosive material

**Identification:** : Formic acid (Formic acid) UNNA: 1779 PG: II

**Special Provisions for Transport:** Not available.

### Section 15: Other Regulatory Information

**Federal and State Regulations:**

New York release reporting list: Formic acid

Rhode Island RTK hazardous substances: Formic acid

Pennsylvania RTK: Formic acid

Florida: Formic acid

Minnesota: Formic acid

Massachusetts RTK: Formic acid

New Jersey: Formic acid

TSCA 8(b) inventory: Formic acid; Water

SARA 313 toxic chemical notification and release reporting: Formic acid 96%

CERCLA: Hazardous substances.: Formic acid: 5000 lbs. (2268 kg);

**Other Regulations:** OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

**Other Classifications:**

**WHMIS (Canada):**

CLASS B-3: Combustible liquid with a flash point between 37.8°C (100°F) and 93.3°C (200°F).

CLASS D-1A: Material causing immediate and serious toxic effects (VERY TOXIC).

CLASS D-2A: Material causing other toxic effects (VERY TOXIC).

**DSCL (EEC):**

**HMIS (U.S.A.):**

**Health Hazard:** 3

**Fire Hazard:** 2

**Reactivity:** 0

**Personal Protection:**

**National Fire Protection Association (U.S.A.):**

**Health:** 3

**Flammability:** 2

**Reactivity:** 0

**Specific hazard:**

**Protective Equipment:**

Gloves.

Full suit.

Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate.

Face shield.

**Section 16: Other Information**

**References:** Not available.

**Other Special Considerations:** Not available.

**Created:** 10/09/2005 05:35 PM

**Last Updated:** 11/06/2008 12:00 PM

*The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall ScienceLab.com be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if ScienceLab.com has been advised of the possibility of such damages.*